#### **POISON**

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING

## **AVER**1

#### COCKROACH GEL BAIT

Active Constituent: 0.5g/kg ABAMECTIN For the control of cockroaches in commercial. industrial and residential premises by professional pest control operators only as per directions for use.

SAFETY DIRECTIONS - Harmful if swallowed. When using the product wear latex gloves. Wash hands after use. After each day's use wash gloves.

FIRST AID - If poisoning occurs, contact a Doctor or Poisons Information Centre. If swallowed, and more than 15 minutes from a hospital, induce vomiting, preferably using Ipecac Syrup APF. If skin contact occurs, remove contaminated clothing and wash skin thoroughly.

RATE - Apply as a 3mm to 6mm diameter bait spot. Apply 12-24 bait stops for 30m2 treatment area for heavy infestations and 4-6 bait spots per 30m2 for light infestations.

MATERIAL SAFETY DATA SHEET - Additional information is listed in the Material Safety Data Sheet. The user must monitor the performance of any product as climatic, geographical or biological variables may effect the results obtained. No responsibility is accepted in respect of this product, save for those non-excludable contditions

Batch No.: 230279097B Date of Manufacture: April 07 2003 Exp.Date 3 Years From Production Date

Local Reg. No: 1254 (UAE) PCT INTERNATIONAL PTY LTD AUSTRALIA

المادة الفعالة ٥٠٠ غرام /كغ الامكتين (افيرت) طعم جل للصراصير : للقضاء على الصراصير في الأماكن التجارية والصناعية ومواقع الإقامة بواسطة مختصين في الصحية العامية فقيط حسب تعليمات الاستخدام بحقظ بعيدا عز متناهل الأطفال

#### POISON

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING

# **AVERT**\*

### COCKROACH GEL BAIT

Active Constituent: 0.5g/kg ABAMECTIN For the control of cockroaches in commercial. industrial and residential premises professional pest control operators only as per directions for use.

SAFETY DIRECTIONS - Harmful if swallowed. When using the product wear latex gloves. Wash hands after use. After each day's use wash gloves.

FIRST AID - If poisoning occurs, contact a Doctor or Poisons Information Centre. If swallowed, and more than 15 minutes from a hospital, induce vomiting, preferably using Ipecac Syrup APF. If skin contact occurs, remove contaminated clothing and wash skin thoroughly.

RATE - Apply as a 3mm to 6mm diameter bait spot. Apply 12-24 bait stops for 30m2 treatment area for heavy infestations and 4-6 bait spots per 30m2 for light infestations

MATERIAL SAFETY DATA SHEET - Additional information is listed in the Material Safety Data Sheet. The user must monitor the performance of any product as climatic, geographical or biological variables may effect the results obtained. No responsibility is accepted in respect of this product, save for those non-excludable contditions. Batch No.: 230279097B

Date of Manufacture: April 07 2003 Exp.Date 3 Years From Production Date Local Reg. No: 1254 (UAE) PCT INTERNATIONAL PTY LTD AUSTRALIA

المادة الفعالة ٥٠٠ غرام /كغ الامكتين افيرت، طعم جل للصراصير : للقضاء على الصراصير في الأماكن التجارية والصناعية ومواقع الإقامة بواسطته متختصين في الصحية العامية فقيط حسب تعليمات الاستخدام بحفظ بعبدا عن متناول الأطفال

Avert Arabic 85mm x 75mm