POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING





Active Constituent: 400g/L DIMETHOATE (An anti-cholinesterase compound)

For the control of wide range of insect pests on fruits and vegetable crops, pastures, cotton, lucerne, oil seed crops, peanuts and ornamentals as listed in the Directions for Use table.

IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USE

CONTENTS 5 Litre



HOLDINGS PTY LTD

APVMA Approval No: 58374/5L/0504 *Stalk is a registered trademark of PCT INTERNATIONAL PTY LTD (PCT Holdings Pty Ltd ABN 11 099 023 962) 1/74 Murdoch Circuit, Acacia Ridge QLD 4110 - http://pct.au.com CUSTOMER SERVICE FREECALL 1800 630 877 EMERGENCY RESPONSE (ALL HOURS) FREECALL 1800 630 877 **PROTECTION OF LIVESTOCK:** Dangerous to bees. DO NOT spray any plants in flower while bees are foraging.

PROTECTIONS OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT: DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL: Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight. Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers. Protect from direct sunlight and temperatures above 40°C. If storing for more than 2-3 months, avoid temperatures above 30°C. Triple or preferably pressure rinse containers before disposal. Add rinsings to sprav tank. Do not dispose of undiluted chemicals on-site. recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS: Product is poisonous if absorbed by skin contact, inhaled or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. DO NOT inhale spray mist. When opening container and preparing sprav wear cotton overalls buttoned to the neck and wrist, washable hat, elbowlength PVC gloves, face shield and impervious footwear. When using the prepared sprav wear cotton overalls buttoned to the neck and wrist and washable hat, elbow-length PVC gloves, impervious footwear and half-face respirator with combined dust and gas cartridge (canister). If product on skin immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield, respirator, and if rubber wash with detergent and warm water and contaminated clothing.

FIRST AID: If poisoning occurs, contact a Doctor or Poisons Information Centre (PHONE 131126). If swallowed, give one atropine tablet every 5 minutes until dryness of the mouth occurs. If poisoning by skin absorption or through lungs, remove contaminated clothing, wash skin thoroughly and give atropine tablets as above. Get to a Doctor or hospital quickly.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet which is available from the supplier.

NOTICE

PCT Holdings Pty Ltd warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by PCT Holdings Pty Ltd, or under abnormal conditions.

APVMA Approval No.: 58374/5L/0504

Batch No .:

Date of Manufacture:

Expiry Date:

ORGANOPHOSPHORUS

PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S. UN NO. 3017 PACKAGING GROUP III. HAZCHEM: 2W