

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Cro*ro***ro**

D-SECT EC

INSECTICIDE

Active Constituent: 27.5g/L DELTAMETHRIN
Solvent 811g/L HYDROCARBON LIQUID

For the control of Heliothis and other specified pests on Cotton, Tobacco, Tomatoes, Cole Crops, Sorghum, Sunflowers, Soybeans and other crops as per the **DIRECTIONS FOR USE** Table in the attached **LABEL LEAFLET**.

READ THE LABEL LEAFLET BEFORE USING THIS PRODUCT

PCT INTERNATIONAL PTY LTD

Pest Control Technologies International Pty Ltd
PO Box 6078 Acacia Ridge Delivery Centre, Acacia Ridge Q. 4110
Freecall Number 1800 630 877
NRA Approval No.: 50684/1098

**D-SECT EC****INSECTICIDE****GENERAL INSTRUCTIONS****Application**

Cropro D-Sect EC Insecticide is a contact spray. Thorough, even coverage is essential.

Equipment

Ground Spray: Standard low volume boom or high volume equipment may be used.

Aircraft: Cropro D-Sect EC Insecticide may be applied by aircraft using water as a carrier. Water volumes of 10 - 30 L/ha have given satisfactory results.

Compatibility: Cropro D-Sect EC Insecticide may be mixed with most piperonyl butoxide formulations and most formulations of fungicides and insecticides such as chlorothalonil, dimethoate, mancozeb, metalaxyl, methamidophos, methomyl, methylparathion, monocrotophos, Ovasyn™ insecticide and pirimicarb, where these products are required for additional insect control or for control of diseases, Cropro D-Sect EC Insecticide may also be mixed with Wuxal® Liquid Foliar Nutrient.

Mixing

Add the required quantity of Cropro D-Sect EC Insecticide to the spray tank with agitators in motion. Where other products are to be mixed, add these after Cropro D-Sect EC Insecticide is mixed in the tank.

Protection of Livestock

Dangerous to bees. DO NOT spray on any plants in flower while bees are foraging. Some repellent effect may be apparent for approximately 2 days.

Protection of Wildlife, Fish, Crustaceans and Environment

Dangerous to Fish. DO NOT contaminate streams, rivers or waterways with this product or used container.

Drift Warning

DO NOT apply under meteorological conditions or from spraying equipment which could be expected to cause spray to drift onto nearby susceptible plants, adjacent crops, crop lands or pastures.

Storage and Disposal

Store in closed, original container in a cool well ventilated area. Do not store for long periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling break, crush, puncture empty containers in a local authority landfill. If there is no local landfill readily available in your area, bury the containers at a depth of 500mm or more in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt. Rinsate/rinse water should be disposed of in accordance with appropriate State legislation and should preferably be sprayed on to an application site or added as up to 10% of the diluent the next time this product or another similar termiticide is used. Do not put rinse water down sewers, gutters or storm water drains. In some States wastes can be buried at a licensed landfill.

Safety Conditions

Product is poisonous if swallowed. Facial skin contact may cause temporary facial numbness. Will damage eyes and will irritate the skin. Avoid inhaling vapour or spray mist. When preparing spray, wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length PVC gloves and face shield. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash gloves and face shield and contaminated clothing.

First Aid

If poisoning occurs, contact a doctor or Poisons Information Centre. If swallowed, and if more than 15 minutes from a hospital induce vomiting, preferably using Ipecac Syrup APF.

Advice to Physician

No antidote is available and treatment should be symptomatic.

Material Safety Data Sheet

Additional information is listed in the Material Safety Data Sheet available from PCT International

Exclusion of Liability

This product as supplied is of a high grade and suitable for the purpose for which it is expressly intended and must be used in accordance with the directions. The user must monitor the performance of any product as climatic, geographical or biological variables and/or developed resistance may affect the results obtained. No responsibility is accepted in respect of this product, save for those non-excludable conditions implied by the Trade Practices Act or any State or Federal legislation.