ləg tna təəwz <u>apitnl</u>

DIRECTIONS FOR USE:

For use to control sweet feeding Ants in Domestic, Commercial and Industrial premises.

RESTRAINTS

DO NOT place baits in areas that are regularly washed as this will remove bait.

INDOORS: Apply gel indoors in areas where ants are seen such as behind refrigerators and stoves, around water pipes and in cracks and crevices. Renew at monthly intervals until the desired level of control is achieved.

OUTDOORS: Where ants are seen entering the building, place bait in thin lines along walkways, directly on ants' nests and in cracks and crevices around windows and doors. Renew at monthly intervals until the desired level of control is achieved.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER. CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

GENERAL INSTRUCTIONS

InTice Sweet Ant Gel is a ready to use product for baiting ants that feed on sweet foods. The product should not be diluted or mixed with any other product or solvent. Apply the bait to cracks and crevices with the bait syringe.

Sufficient product should be used to ensure that all foraging ants have adequate opportunity to feed. Feeding may only be evident for the first 12-24 hours after application. The elimination of other food sources will greatly increase the effectiveness of the bait. Results may take some time to become evident.

Good hygiene is essential in any pest management situation. In areas of poor sanitation use more bait placements.

PRECAUTION:

DO NOT place baits in areas where washing ations may transfer diluted bait to eparation surfaces

PROTECTION OF LIVESTOCK:

DO NOT place baits in locations which are accessible to domestic animals, livestock or birds.

PROTECTION OF WILDLIFE FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight.

Do not dispose of undiluted chemicals on site. Dispose of used containers at a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Wash hands after use.

FIRST AID

If poisoning occurs, contact a Doctor or Poisons Information Centre, Phone: 13 1126. MATERIAL SAFETY DATA SHEET

Additional information is listed on the Material Safety Data Sheet which is available from PCT International on request. Call Customer Service Toll Free on 1800 630 877 or visit our web site at http://pct.au.com.

NOTICE

PCT International warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions for use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, ex

CAUTION

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENT: 8.9g/kg BORON as BORIC ACID

A ready to use gel bait for the control of sweet feeding Ants in Domestic, Commercial and Industrial Premises including Food Handling Establishments

Contains 5x42g syringes which it is illegal to sell separately.

Net Contents: 210 grams

PEST CONTROL TECHNOLOGIES INTERNATIONAL PTY LTD

ABN 44 101 170 923 MANUFACTURED BY: (r <u>Rockwell Labs Ltd</u>

NRA Approval No: 56238/0603 *Ir 252 Bradman Street, Acacia Ridge QLD 4110 • http://pct.au.com CUSTOMER SERVICE FREECALL 1800 630 877 EMERGENCY RESPONSE (ALL HOURS) FREECALL 1800 630 877 MANUFACTURED BY: ROCKWELL LABS LTD. MINNEAPOLIS MN USA

