

PCT International Pty Ltd

ABN 44 101 170 923 Unit 1 / 74 Murdoch Circuit, ACACIA RIDGE QLD 4110

sales@pct.au.com

Ph: 61 7 3711 7022 Fax: 61 7 3711 7055

AQUASTAR 100°

Termiticide & Insecticide

Classified as hazardous according to criteria of NOHSC

1. IDENTIFICATION OF THE PRODUCT AND THE MANUFACTURER

Product Name: AQUASTAR Termiticide & Insecticide

Product Code: none

Product Use: termiticide & insecticide for use as described on the product label

Poison Schedule: S6

Supplier: PCT International Pty Ltd

ABN: 44 101 170 923

Street Address: Unit 1 / 74 Murdoch Circuit, ACACIA RIDGE QLD 4110

Telephone: + 61 7 3711 7022 **Facsimile:** + 61 7 3711 7055

Emergency telephone №: 1800 630 877 (all hours)

Other Information: This MSDS describes, to the best of our knowledge, the properties of the concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be much less severe.

MSDS Creation Date: 7th December 2010

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical

Formulation Type: Liquid

| Ingredients | CAS № | Concentration |
|---------------------------------|------------|---------------|
| Bifenthrin | 82657-04-3 | 100 g/L |
| Other non-hazardous ingredients | | 5 – 20% |
| Water | | to 100% |
| | | |

3. HAZARDS IDENTIFICATION

Emergency Overview Hazardous substance; Non-dangerous goods; Harmful to aquatic organisms.

Physical Appearance

Form: Liquid Colour: White

Odour: almost odorless

Water Solubility: Insoluble. Product forms a suspension

pH: not available

Potential Health Effects

Eyes: Irritating to the eyes
Skin: May cause slight irritation

Ingestion: Bifenthrin is harmful to mammals when ingested. Large doses may cause

incoordination, tremor, salivation, vomiting, diarrhoea, and irritability to sound and touch. Although it does not cause inflammation or irritation on human

skin, it can cause a tingling sensation which lasts about 12 hours.

Inhalation: May be slightly toxic based on acute animal studies. Exact effects on humans

are not known.

Primary Routes of

Entry: Eyes, Skin, Inhalation, Ingestion

Target Organs: Eyes, Skin, Respiratory Tract, Digestive System

Carcinogenicity: Not listed by NTP, IARC, ACGIH or OSHA as a carcinogen

4. FIRST AID MEASURES

Eyes: Flush eye(s) for 15 minutes or more- If irritation persists, consult a doctor

(preferably an eye specialist) and show this MSDS.

Skin: Remove any contaminated clothing. Wash affected areas immediately and

thoroughly with soap and water.

Ingestion: Rinse mouth and then drink plenty of water. Do not induce vomiting.

If swallowed seek medical advice and show this MSDS.

Inhalation: Remove affected person from site of exposure to fresh air until recovered.

If not breathing, give artificial respiration. If breathing is difficult give oxygen.

Seek medical attention if symptoms persist.

First Aid Facilities: If poisoning occurs, contact a doctor or Poisons Information Centre on

13 11 26 (Australia).

General Advice: Remove soiled or soaked clothing immediately.

Information for

doctor: The active constituent of this product, Bifenthrin, is a pyrethroid insecticide. It

has moderate oral toxicity and causes minimal irritation to eyes and skin. After removal of the patient from exposure, treatment is symptomatic and supportive. Digestible fats, oils, alcohol and milk products increase absorption

and should be avoided.

5. FIRE-FIGHTING MEASURES

Flash Point:
Autoignition Temperature:
Upper Explosion Limits:
Lower Explosion Limits:
None up to 100°C.
Not applicable.
Not applicable.
Not applicable.

Suitable Extinguishing Media: Soft stream water fog, foam, CO₂ or dry chemical. Contain runoff.

By-products in case of Fire: In the event of a fire the following can be released:

- Carbon Monoxide, carbon dioxide, hydrogen chloride, chlorine,

fluorine and hydrogen fluoride.

Further Information: Keep unnecessary persons away from the area. If safe to do so,

remove intact containers, otherwise use water spray to cool them.

Collect contaminated firefighting water separately, by bunding the area with sand or earth. Fire control water must not be discharged into desire.

into drains.

Special Protective

Equipment for Firefighters: As in any fire, water, self-contained breathing apparatus pressure-

demand, (MSHA/NIOSH approved or equivalent) and full protective

clothing.

6. ACCIDENTAL RELEASE MEASURES

Methods for Cleaning Up/ Taking Up:

Spills: Dealing with spills has the potential to increase the risk of personal exposure- during such operations, ensure that protective clothing is worn as detailed below. Avoid contact with spilled material or contaminated surfaces. Keep people and animals away. Prevent spillage from entering drains, sewers or watercourses. If contamination thereof is unavoidable, warn the local water authority. Spills should be contained and absorbed with soil, sand, sawdust, clay, cat litter or other similar material, and once absorption is complete, this material then be placed in sealable, labeled, drums for safe disposal in an approved landfill, and in accordance with the requirements of local or State Waste Management Authorities. Alternatively, bury under at least 500^{mm} of soil in an area away from crops, pastures, homes or water sources. To decontaminate spill area, tools and equipment, wash with a suitable solution, e.g. organic solvent, detergent, bleach or caustic, and add this material to the drums of waste already collected. Label all contents. Do not burn empty containers or product.

7. HANDLING AND STORAGE

Advice on safe

Handling: Keep out of reach of children. Avoid contact with eyes and skin. Wash hands

after use, and before smoking or eating / drinking. Wash protective gear and

clothing after each day's use.

Advice on protection

against fire and

explosion: Not flammable- no special measures required.

Storage information: Keep product in the original container, tightly closed, in a cool, well ventilated

area. Do not store for prolonged periods in direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General protective

Measures: Avoid contact with eyes and skin

Do not inhale mists.

Hygiene Measures: No smoking, eating or drinking allowed when using this product.

Wash hands before breaks and at end of work shift.

Protective ointment is recommended.

Respiratory

Protection: In case of formation of mists or vapours, an organic vapour cartridge

respirator should be used.

Hand Protection: Elbow length PVC gloves should be worn when using this product.

Eye Protection: Safety goggles and/or face shield is recommended when using this product. **Protective clothing;** Cotton overalls buttoned to the neck and wrist, and a washable hat, are

required when using this product.

Engineering Controls: Use in a well ventilated area only. Good general (mechanical) ventilation

should be sufficient to control airborne mist levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White / beige liquid suspension concentrate

Odour: Almost odourless
Solubility in Water: Miscible with water.

Specific Gravity

(H₂O=1): approx. 1.024 @ 20°C

pH Value: not available
Vapour Pressure: not available
Melting Temperature: not measured
Boiling temperature: not measured
not measured
not measured
not available
not available
not available
not available
not measured
not measured

10. STABILITY AND REACTIVITY

Conditions to avoid: None with proper storage and handling, other than extreme heat.

Thermal

Decomposition: Not measured, although if involved in a fire, the formation of carbon

monoxide, carbon dioxide, hydrogen chloride, chlorine, fluorine and hydrogen

fluoride can be expected.

Hazardous reactions: No hazardous reactions with proper storage and handling

Hazardous

Polymerization: Unlikely to occur.

Stability: Stable under normal conditions of storage and use.

Hazardous decomposition

products: None with proper storage and handling.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity - Oral: LD_{50} (rat) = 632 mg/kg..

Acute Toxicity -

Inhalation: $LC_{50} > 11.58 \text{ mg/L/hr}.$

Acute Toxicity -

Dermal: LD_{50} (rat) >2000mg/kg

Eye Irritation: (Species - rabbit) slight irritant (Species - rabbit) non - irritant (Species - rabbit) non - irritant (Species - guinea pig) non-sen

Skin Sensitisation: (Species - guinea pig) non-sensitising **Note:** harmful by inhalation and in contact with skin

naminar by initial and in contact with

Irritant to skin

The toxicological data refer to the undiluted 100% product.

12. ECOLOGICAL INFORMATION

Ecotoxicity Effects:

Acute Toxicity - Fish: LC₅₀ for rainbow trout is 0.15 µg/Lt.

Acute Toxicity -

Bees: $48h LD_{50}$ for bees is 0.1 μ g / bee.

Acute Toxicity -

Birds: LD₅₀ for Japanese Quail is 2,150 mg/Kg

Further ecological information:

Ecological notes: This product is considered to be a water pollutant, and is toxic to aquatic

organisms. It is classified as immobile in soil and is not expected to leach. Do not discharge product unmonitored into the environment. The ecotoxicological

data refer to the undiluted 100% product.

13. DISPOSAL CONSIDERATIONS

ALWAYS DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Product Disposal: In accordance with local authority regulations, take to special waste

incineration plant.

Container Disposal: Dispose of empty, used containers by triple rinsing, or preferably pressure rinsing. Add the rinsate to the spray tank or dispose of the rinsate in a disposal pit away from desirable plants and their roots and from watercourses. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return cleaned containers to a recycler or designated collection point. If not recycling, break, crush or puncture empty containers and bury in a local authority landfill. If no landfill available, bury the containers at least 500^{mm} deep in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

14. TRANSPORT INFORMATION

MARINE AND AIR TRANSPORT: Product is a Marine Pollutant according to International Maritime Dangerous Goods (IMDG) Code and the International Air Transport Association (IATA). If transporting by SEA or by AIR, the following Dangerous Goods Classification applies:

UN No.: 3082

Shipping Name: BIFENTHRIN

Dangerous Goods Class: 9

Subsidiary Risk: None Allocated

Pack Group:

Special Precaution for user : TOXIC Hazchem Code : 2Z

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains 10% Bifenthrin)

MARINE POLLUTANT

EPG: n/a

Storage and Transport: Considered non – dangerous goods for transport by the Australian

Code for the Transport of Dangerous Goods by Road and Rail.

15. REGULATORY INFORMATION

APVMA Approval №: 58745/0504

Risk Phrases: R22 Harmful if swallowed. R20 Harmful by inhalation

Safety Phrases: S23 Do not breathe vapor or spray. S24 Avoid Contact with skin

Poisons Schedule: S6

Packaging &

Labeling:

ling: READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Hazard Category

AICS (Australia): Listed on the Australian Inventory of Chemical Substances.

16. OTHER INFORMATION

Contact Person/Point: Mr David Pearson Phone: (07) 3711 7022

This MSDS contains only safety-related information. For other data, see product literature.

Any advice, recommendation, information, assistance or service provided by PCT International Pty Ltd in relation to the goods supplied by it or their use or application is given in good faith and believed to be appropriate and reliable. However, it is provided with a disclaimer for any liability or responsibility on the part of PCT International Pty Ltd. The customer accepts all risk and responsibility for use of the goods alone, or in combination with other products. All warranties, guarantees and conditions, other than those expressly stated, and when implied by statute, common law, custom of the trade or otherwise, are to the extent that the law permits, expressly excluded.

...End of MSDS...

Product: PCT AQUASTAR100 Termiticide & Insecticide Issued: 7/12/2010