

PCT International Pty Ltd

ABN 44 101 170 923

Unit 5 / 74 Murdoch Circuit, ACACIA RIDGE QLD 4110

sales@pct.au.com

Fax: 61 7 3711 7055



Classified as non-hazardous according to criteria of NOHSC

1. IDENTIFICATION OF THE PRODUCT AND THE MANUFACTURER

Product Name: Product Code:	BLITZ insecticide
Product Use:	for use on a range of insect pests as described on the product label.
Poison Schedule:	S5
Supplier:	PCT International Pty Ltd
ABN:	44 101 170 923
Street Address:	Unit 5 / 74 Murdoch Circuit, ACACIA RIDGE QLD 4110
Telephone:	+ 61 7 3711 7022
Facsimile:	+ 61 7 3711 7055

Emergency telephone №: 1800 630 877 (all hours)

Other Information: This MSDS describes, to the best of our knowledge, the properties of the concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be much less severe.

MSDS Creation Date: 2nd July, 2013

Ph: 61 7 3711 7022

2. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS NO.	Concentration	
Deltamethrin	52918-63-5	10 g/L	
Tetramethrin-R 25:75	7696-12-0	10 g/L	
Piperonyl Butoxide	51-03-6	80g/L	
Other ingredients not considered		-	
to be hazardous		to 100%	

Product: PCT BLITZ Insecticide

3. HAZARDS IDENTIFICATION

Emergency Overview Physical Appearance	non-hazardous substance ; non-dangerous goods
Form:	Liquid
Colour:	white
Odour:	mild aromatic odour
Water Solubility:	forms a suspension
pH:	not determined
Potential Health Effec	<u>ts</u>
Eyes:	Irritating to the eyes
Skin:	Contact with the skin, especially around the face, may result in initial stinging and burning sensations, followed by numbing. This may persist for several hours.
Ingestion:	The product is harmful if swallowed. Symptoms of poisoning include headache, dizziness, drowsiness, diarrhoea, nausea and vomiting.
Inhalation:	Inhalation of spray may cause transient irritation of mucous membranes of the nose, throat and respiratory tract for up to 24hrs.
Primary Routes of	
Entry:	Eyes, Skin, Inhalation, Ingestion
Target Organs:	Eyes, Skin, Respiratory Tract, Digestive System
Carcinogenicity:	Not listed by NTP, IARC, ACGIH or OSHA as a carcinogen

4. FIRST AID MEASU	IRES
Eyes:	Flush eye(s) for 15 minutes or more- If irritation persists, consult a doctor (preferably an eye specialist) and show this SDS.
Skin:	Remove any contaminated clothing. Wash affected areas immediately and thoroughly with soap and water.
Ingestion:	Rinse mouth and then drink plenty of water. Do not induce vomiting. If swallowed seek medical advice and show this SDS.
Inhalation:	Remove affected person from site of exposure to fresh air until recovered. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Seek medical attention if symptoms persist.
First Aid Facilities:	If poisoning occurs, contact a doctor or Poisons Information Centre on 13 11 26 (Australia).
General Advice:	Remove soiled or soaked clothing immediately.
Information for	
doctor:	No known antidote for this product. Treatment is symptomatic and supportive. In cases of skin contact, it has been reported that applications of Vitamin E acetate can have very high therapeutic value. For eyes, instill local anesthetic drops, <i>e.g.</i> amethocaine hydrochloride eye drops. Treat large intakes with gastric lavage, and charcoal administration. Use endotracheal intubation, and artificial respiration if necessary. Check for pulmonary oedema in the event of inhalation. Diazepam i.v. should be used for anti-convulsant therapy.

5. FIRE-FIGHTING MEASURES	
Flash Point:	Non-flammable
Autoignition Temperature:	Not applicable.
Upper Explosion Limits:	Not applicable.
Lower Explosion Limits:	Not applicable.
Suitable Extinguishing Media: Water spray, carbon dioxide, foam or dry chemical. Do not use a water jet from a fire hose.	

By-products in case of Fire:	In the event of a fire the following can be released: Heating and/or combustion will generate oxides of nitrogen and carbon, along with other irritants.
Further Information:	Keep unnecessary persons away from the area. If safe to do so, remove intact containers, otherwise use water spray to cool them. Collect contaminated firefighting water separately, by bunding the area with sand or earth. Fire control water must not be discharged into drains.
Special Protective Equipment for Firefighters:	As in any fire, water, self-contained breathing apparatus pressure- demand, (MSHA/NIOSH approved or equivalent) and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Methods for Cleaning Up/ Taking Up:

Spills: Dealing with spills has the potential to increase the risk of personal exposure- during such operations, ensure that protective clothing is worn as detailed below. Avoid contact with spilled material or contaminated surfaces. Keep people and animals away. Prevent spillage from entering drains, sewers or watercourses. If contamination thereof is unavoidable, warn the local water authority. Spills should be contained and absorbed with soil, sand, sawdust, clay, cat litter or other similar material, and once absorption is complete, this material then be placed in sealable, labeled, drums for safe disposal in an approved landfill, and in accordance with the requirements of local or State Waste Management Authorities. Alternatively, bury under at least 500^{mm} of soil in an area away from crops, pastures, homes or water sources. To decontaminate spill area, tools and equipment, wash with a suitable solution, *e.g.* organic solvent, detergent, bleach or caustic, and add this material to the drums of waste already collected. Label all contents. Do not burn empty containers or product.

7. HANDLING AND STORAGE Advice on safe Handling: Keep out of reach of children. Avoid contact with eyes and skin. Wash hands after use, and before smoking or eating / drinking. Wash protective gear and clothing after each day's use. Advice on protection against fire and explosion: Not flammable- no special measures required. Storage information: Keep product in the original container, tightly closed, in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION General protective Measures: Avoid contact with eyes and skin Do not inhale mists. Hygiene Measures: No smoking, eating or drinking allowed when using this product. Wash hands before breaks and at end of work shift. Protective ointment is recommended. Respiratory Protection: In case of formation of mists or vapours, an organic vapour cartridge respirator (properly fitting half-face or full-face) should be used. Hand Protection: Elbow length PVC gloves should be worn when using this product. Eye Protection: Safety goggles and/or face shield is recommended when using this product. Cotton overalls buttoned to the neck and wrist, and a washable hat, are **Protective clothing:** required when using this product. Engineering Controls: Use in a well ventilated area only. Good general (mechanical) ventilation should be sufficient to control airborne mist levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Odour: Solubility in Water:	White / beige liquid suspension concentrate Slight characteristic aromatic odour. Forms a suspension.
Specific Gravity	·
(H ₂ O=1):	approx. 1.01 @ 20°C
pH Value:	not determined
Vapour Pressure:	not determined
Melting Temperature:	not measured
Boiling temperature:	not measured
Viscosity, dynamic:	not measured

10. STABILITY AND REACTIVITY

Conditions to avoid: Thermal	None with proper storage and handling, other than extreme heat.
Decomposition:	Not measured, although if involved in a fire, heating and/or combustion will generate oxides of nitrogen and carbon, along with other irritants.
Hazardous reactions: Hazardous	No hazardous reactions with proper storage and handling
Polymerization:	Unlikely to occur.
Stability: Hazardous decomposition	Stable under normal conditions of storage and use.
products:	None with proper storage and handling.

11. TOXICOLOGICAL INFORMATION

-	LD ₅₀ (rat) 2,640mg/kg approx.
Acute Toxicity - Inhalation:	LC_{50} (rat) >24.6mg/L exposure time 4h method
Acute Toxicity -	
Dermal:	LD ₅₀ (rat) >4000mg/kg
Eye Irritation:	(Species - rabbit) slight irritant
Skin Irritation:	(Species - rabbit) non - irritant
Skin Sensitisation:	(Species - guinea pig) non-sensitising
Note:	harmful by inhalation and in contact with skin
	Irritant to skin
	The toxicological data refer to the undiluted 100% formulated product.

12. ECOLOGICAL INFORMATION

Ecotoxicity Effects: Acute Toxicity – Fish: Acute Toxicity -	LC_{50} for rainbow trout is 0.91µg/L.
Daphniae:	EC_{50} for daphnia magna – not determined
Acute Toxicity –	······
Bees:	LD ₅₀ for bees is 51µg/bee (48h)
Acute Toxicity –	
Birds:	LD ₅₀ for Japanese Quail is >10k mg/Kg
Further ecological infe	ormation:
Ecological notes:	This product is classified as immobile in soil and is not expected to leach. Do not discharge product unmonitored into the environment. The ecotoxicological data refer to the undiluted 100% product.

13. DISPOSAL CONSIDERATIONS

ALWAYS DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. Product Disposal: In accordance with local authority regulations, take to special waste incineration plant.

Container Disposal: Dispose of empty, used containers by triple rinsing, or preferably pressure rinsing. Add the rinsate to the spray tank or dispose of the rinsate in a disposal pit away from desirable plants and their roots and from watercourses. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return cleaned containers to a recycler or designated collection point. If not recycling, break, crush or puncture empty containers and bury in a local authority landfill. If no landfill available, bury the containers at least 500^{mm} deep in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

14. TRANSPORT INFORMATION

Storage and Transport:

Considered non – dangerous goods for transport by the Australian Code for the Transport of Dangerous Goods by Road and Rail.

15. REGULATORY INFORMATION		
APVMA Approval №: Risk Phrases:	50682/1/1103 R22 Harmful if swallowed.	
Safety Phrases:	 S24 Avoid Contact with skin S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39 Wear suitable protective clothing, gloves and eye/face protection 	
Poisons Schedule: Packaging &	S5	
Labeling: Hazard Category	READ SAFETY DIRECTIONS BEFORE OPENING OR USING	
AICS (Australia):	Listed on the Australian Inventory of Chemical Substances.	

16. OTHER INFORMATION

Contact Person/Point: Mr David Pearson Phone: (07) 3711 7022 Note: this SDS replaces our previous MSDS dated Sep 09.

This SDS contains only safety-related information. For other data, see product literature.

Any advice, recommendation, information, assistance or service provided by PCT International Pty Ltd in relation to the goods supplied by it or their use or application is given in good faith and believed to be appropriate and reliable. However, it is provided with a disclaimer for any liability or responsibility on the part of PCT International Pty Ltd. The customer accepts all risk and responsibility for use of the goods alone, or in combination with other products. All warranties, guarantees and conditions, other than those expressly stated, and when implied by statute, common law, custom of the trade or otherwise, are to the extent that the law permits, expressly excluded.

...End of SDS...