

# MATERIAL SAFETY DATA SHEET – SureFire VISTA 200SC



## PCT International Pty Ltd

ABN 44 101 170 923

Unit 1 / 74 Murdoch Circuit, ACACIA RIDGE QLD 4110

[sales@pct.au.com](mailto:sales@pct.au.com)

Ph: 61 7 3711 7022

Fax: 61 7 3711 7055

# VISTA® 200SC

## INSECTICIDE

Classified as hazardous according to criteria of NOHSC

### 1. IDENTIFICATION OF THE PRODUCT AND THE MANUFACTURER

**Product Name:** Surefire VISTA 200SC  
**Product Code:** none  
**Product Use:** Agricultural insecticide for use as per the label directions  
**Poison Schedule:** S6  
**Supplier:** PCT International Pty Ltd  
**ABN:** 44 101 170 923  
**Street Address:** Unit 1 / 74 Murdoch Circuit, ACACIA RIDGE QLD 4110  
**Telephone:** + 61 7 3711 7022  
**Facsimile:** + 61 7 3711 7055

**Emergency telephone №: 1800 630 877**

**Other Information:** This MSDS describes, to the best of our knowledge, the properties of the concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be much less severe.

**MSDS Creation Date:** 20<sup>th</sup> July 2012

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

**Chemical Formulation Type:** Liquid Suspension Concentrate

Ingredients	CAS NO.	Concentration
Fipronil	120068-37-3	200 g/L
Vegetable Oil	N/A	30-60 %
Water	7732-18-5	10-30 %
Dispersants	N/A	0-10 %

# MATERIAL SAFETY DATA SHEET – SureFire VISTA 200SC

## 3. HAZARDS IDENTIFICATION

**Emergency Overview** Hazardous substance ; Non-dangerous goods ; Harmful to aquatic organisms.

### Physical Appearance

**Form:** Liquid  
**Colour:** Light Yellow  
**Odour:** Characteristic  
**Water Solubility:** Soluble  
**pH:** 7 - 9

### Risk Phrases:

R22 Harmful if swallowed.

R23 Toxic by inhalation.

R48/25 Toxic- danger of serious damage to health by prolonged exposure if swallowed.

### Safety Phrases:

S1/2 Keep locked up and out of reach of children.

S13 Keep away from food, drink and animal feeding stuffs.

S36 Wear suitable protective clothing.

S45 In case of accident or if you feel unwell seek medical advice immediately

S63 In case of accident by inhalation, remove casualty to fresh air and keep at rest.

## 4. FIRST AID MEASURES

**Eyes:** Flush eye(s) for 15 minutes or more- If irritation persists, consult a doctor (preferably an eye specialist) and show this MSDS.

**Skin:** Remove any contaminated clothing. Wash affected areas immediately and thoroughly with soap and water.

**Ingestion:** Rinse mouth and then drink plenty of water. Do not induce vomiting. If swallowed seek medical advice and show this MSDS.

**Inhalation:** Remove affected person from site of exposure to fresh air until recovered. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Seek medical attention if symptoms persist.

**First Aid Facilities:** If poisoning occurs, contact a doctor or Poisons Information Centre on **13 11 26** (Australia).

**General Advice:** Remove soiled or soaked clothing immediately.

### **Information for doctor:**

Fipronil is a reversible gamma-aminobutyric (GABA) receptor inhibitor. During intoxication it will induce neurological stimulation with possible convulsions. Treat symptoms. No specific antidote known. Phenobarbital, and to a lesser extent, benzodiazepines, have been shown experimentally to be effective in preventing convulsions induced by fipronil. Due to slow absorption of fipronil through the gut, symptoms of intoxication may be delayed several hours to one day. Absorption may be decreased by the use of gastric lavage, saline purgative and activated charcoal (possible enterohepatic recirculation). Continue monitoring - due to slow elimination of the compound.

## 5. FIRE-FIGHTING MEASURES

**Flash Point:** None up to 100°C.

**Autoignition Temperature:** Not applicable.

**Upper Explosion Limits:** Not applicable.

**Lower Explosion Limits:** Not applicable.

**Suitable Extinguishing Media:** Foam, carbon dioxide, dry powder, water spray,

# MATERIAL SAFETY DATA SHEET – SureFire VISTA 200SC

- By-products in case of Fire:** In the event of a fire the following can be released:  
-Carbon monoxide, nitrous oxide, sulphur and compounds of chlorine and fluorine
- Further Information:** Keep unnecessary persons away from the area. If safe to do so, remove intact containers, otherwise use water spray to cool them. Collect contaminated firefighting water separately, by bunding the area with sand or earth. Fire control water must not be discharged into drains.
- Special Protective Equipment for Firefighters:** As in any fire, water, self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective clothing.

## 6. ACCIDENTAL RELEASE MEASURES

### Methods for Cleaning Up/ Taking Up:

Spills: Dealing with spills has the potential to increase the risk of personal exposure- during such operations, ensure that protective clothing is worn as detailed below. Avoid contact with spilled material or contaminated surfaces. Keep people and animals away. Prevent spillage from entering drains, sewers or watercourses. If contamination thereof is unavoidable, warn the local water authority. Spills should be contained and absorbed with soil, sand, sawdust, clay, cat litter or other similar material, and once absorption is complete, this material then be placed in sealable, labeled, drums for safe disposal in an approved landfill, and in accordance with the requirements of local or State Waste Management Authorities. Alternatively, bury under at least 500<sup>mm</sup> of soil in an area away from crops, pastures, homes or water sources. To decontaminate spill area, tools and equipment, wash with a suitable solution, e.g. organic solvent, detergent, bleach or caustic, and add this material to the drums of waste already collected. Label all contents. Do not burn empty containers or product.

## 7. HANDLING AND STORAGE

### Advice on safe

**Handling:** Keep out of reach of children. Avoid contact with eyes and skin. Wash hands after use, and before smoking or eating / drinking. Wash protective gear and clothing after each day's use.

### Advice on protection against fire and explosion:

Not flammable- no special measures required.

**Storage information:** Keep product in the original container, tightly closed, in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Components	CAS No	Basis	Type	Value	Note
Glycerin mist	56-81-5	NOHSC	TWA	10mg/m <sup>3</sup>	

### General protective Measures:

Avoid contact with eyes and skin  
Do not inhale mists.

### Hygiene Measures:

No smoking, eating or drinking allowed when using this product.  
Wash hands before breaks and at end of work shift.  
Protective ointment is recommended.

# MATERIAL SAFETY DATA SHEET – SureFire VISTA 200SC

## Respiratory

**Protection:** In case of formation of mists or vapours, an organic vapour cartridge respirator should be used.

**Hand Protection:** Elbow length PVC gloves should be worn when using this product.

**Eye Protection:** Safety goggles and/or face shield is recommended when using this product.

**Protective clothing:** Cotton overalls buttoned to the neck and wrist, and a washable hat, are required when using this product.

**Engineering Controls:** Use in a well ventilated area only. Good general (mechanical) ventilation should be sufficient to control airborne mist levels.

## National Exposure

**Standards:** No exposure standards have been set for this product or the active ingredients.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** White / beige liquid suspension concentrate

**Odour:** Slight characteristic odour.

**Solubility in Water:** Miscible with water.

**Specific Gravity**

**(H<sub>2</sub>O=1):** approx. 1.05 – 1.07 @ 20°C

**pH Value:** 7.0 – 9.0 @ 25°C

**Vapour Pressure:** 3.7 x 10<sup>-4</sup> mPa @ 20°C

**Melting Temperature:** not measured

**Boiling temperature:** decomposes before boiling

**Auto-Ignition**

**Temperature:** >400°C

## 10. STABILITY AND REACTIVITY

**Conditions to avoid:** None with proper storage and handling, other than extreme heat.

**Thermal**

**Decomposition:** Not measured, although if involved in a fire, the formation of hydrogen chloride, hydrogen cyanide, carbon monoxide and nitrous oxides can be expected.

**Hazardous reactions:** No hazardous reactions with proper storage and handling, but keep away from strong oxidising agents

**Hazardous**

**Polymerization:** Unlikely to occur.

**Stability:** Stable under normal conditions of storage and use.

**Hazardous**

**decomposition**

**products:** None with proper storage and handling.

## 11. TOXICOLOGICAL INFORMATION

**Inhalation:** Breathing in high concentrations of spray mist may cause headache, nausea, dizziness and weakness.

**Ingestion:** Symptoms of exposure include: headache, nausea, dizziness and weakness.

Ingestion of large quantities of the concentrate may result in convulsions.

**Skin:** Not a skin irritant and not harmful by dermal exposure.

## MATERIAL SAFETY DATA SHEET – SureFire VISTA 200SC

**Eye:** The concentrate will cause severe irritation and possible damage unless washed off immediately.

**Reproductive Toxicity:** No reproductive effects.

**Mutagenicity:** No mutagenic effects.

**Carcinogenicity:** No carcinogenic effects.

**Acute Toxicity – Oral:** LD<sub>50</sub> (rat) 1099 mg/kg - formulated product

**Acute Toxicity – Dermal:** LD<sub>50</sub> (rabbit) 2493 mg/kg - formulated product

**Acute Toxicity – Inhalation:** LC<sub>50</sub> (rat) (4hr) 1.07 mg/l - formulated product

**Eye Irritation:** The product is an eye irritant.

**Skin Irritation:** Mild skin irritant.

**Skin Sensitisation:** Not a skin sensitiser.

**Other Information:** The Australian Acceptable Daily Intake (ADI) for fipronil is 0.0002 mg/kg/day, based on the NOEL of 0.02 mg/kg/day.

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity Effects:

**Acute Toxicity – Fish:** (data for the active ingredient, fipronil).  
LC<sub>50</sub> (96hr) - bluegill sunfish is 0.085 mg/l.  
LC<sub>50</sub> (96hr) - rainbow trout is 0.248 mg/l.  
LC<sub>50</sub> (96hr) - european carp is 0.430 mg/l.

**Acute Toxicity – Daphnia Magna:** LC<sub>50</sub> (48hr) - daphnia is 0.19 mg/l

**Acute Toxicity – Algae *Scenedesmus subspicatus*:** EC<sub>50</sub> (72hr) 0.068 mg/l.

**Acute Toxicity - Other Organisms:** (data is for the active ingredient, fipronil).

LD<sub>50</sub> for mallard duck is 5000 mg/kg

LD<sub>50</sub> for bobwhite quail is 48 mg/kg

**Highly toxic to bees both by direct contact or by ingestion.**

#### Further ecological information:

**Ecological notes:** This product is considered to be a water pollutant. It is classified as immobile in soil and is not expected to leach. Do not discharge product unmonitored into the environment. The ecotoxicological data refer to the undiluted 100% product.

### 13. DISPOSAL CONSIDERATIONS

#### ALWAYS DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

**Product Disposal:** In accordance with local authority regulations, take to special waste incineration plant.

**Container Disposal:** Dispose of empty, used containers by triple rinsing, or preferably pressure rinsing. Add the rinsate to the spray tank or dispose of the rinsate in a disposal pit away from desirable plants and their roots and from watercourses. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return cleaned containers to a recycler or designated collection point. If not recycling, break, crush or puncture empty containers and bury in a local authority landfill. If no landfill available, bury the containers at least 500<sup>mm</sup> deep in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

# MATERIAL SAFETY DATA SHEET – SureFire VISTA 200SC

## 14. TRANSPORT INFORMATION

If shipping by sea, the following applies- **MARINE POLLUTANT**

UN No. : 3082  
Shipping Name : **ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.**  
(contains 20% Fipronil)

Dangerous Goods Class : 9  
Subsidiary Risk : None Allocated  
Pack Group : III  
Hazchem Code : 2Z



EPG: n/a  
Storage and Transport: Considered non – dangerous goods for transport by the Australian Code for the Transport of Dangerous Goods by Road and Rail.

## 15. REGULATORY INFORMATION

APVMA Approval No: 63581/xx/0309  
Poisons Schedule: S6  
Packaging & Labeling: READ SAFETY DIRECTIONS BEFORE OPENING OR USING  
Hazard Category: TOXIC  
AICS (Australia): Listed on the Australian Inventory of Chemical Substances.

## 16. OTHER INFORMATION

Contact Person/Point: Mr David Pearson Phone: (07) 3711 7022

**This MSDS contains only safety-related information. For other data, see product literature.**

Any advice, recommendation, information, assistance or service provided by PCT International Pty Ltd in relation to the goods supplied by it or their use or application is given in good faith and believed to be appropriate and reliable. However, it is provided with a disclaimer for any liability or responsibility on the part of PCT International Pty Ltd. The customer accepts all risk and responsibility for use of the goods alone, or in combination with other products. All warranties, guarantees and conditions, other than those expressly stated, and when implied by statute, common law, custom of the trade or otherwise, are to the extent that the law permits, expressly excluded.

...End of MSDS...