

PCT International Pty Ltd

ABN 44 101 170 923 Unit 5 / 74 Murdoch Circuit, ACACIA RIDGE QLD 4110

sales@pct.au.com

Ph: 61 7 3711 7022 Fax: 61 7 3711 7055

SPECTRUM 200SC*

INSECTICIDE

Classified as hazardous according to criteria of SWA

1. IDENTIFICATION OF THE PRODUCT AND THE MANUFACTURER

Product Name: Surefire Spectrum 200SC

Product Code: none

Product Use: Insecticide & Termiticide for use as per the label directions

Poison Schedule: S5

Supplier: PCT International Pty Ltd

ABN: 44 101 170 923

Street Address: Unit 5 / 74 Murdoch Circuit, ACACIA RIDGE QLD 4110

Telephone: + 61 7 3711 7022 **Facsimile:** + 61 7 3711 7055

Emergency telephone №: 1800 630 877

Other Information: This SDS describes, to the best of our knowledge, the properties of the concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be much less severe.

MSDS Revision Date: 27th October, 2014

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical

Formulation Type: Liquid Suspension Concentrate

Ingredients	CAS NO.	Concentration	ntration	
Imidacloprid	138261-41-3	200 g/L		
Glycerin	56-81-5	31-5 115 g/L		
Other ingredients not considered to be hazardous		to 100%		

3. HAZARDS IDENTIFICATION

Emergency Overview Hazardous substance; Non-dangerous goods; Harmful to aquatic organisms.

Physical Appearance

Form: Liquid
Colour: Light Yellow
Odour: Characteristic
Water Solubility: Soluble

Potential Health Effects

Eyes: Irritating to the eyes
Skin: May cause slight irritation

Ingestion: May be slightly toxic based on acute animal studies. Symptoms of poisoning include

apathy, muscular cramps, depressed muscular tone, respiratory difficulties and

trembling.

Inhalation: May be slightly toxic based on acute animal studies. Exact effects on humans are

not known.

Primary Routes of

Entry: Eyes, Skin, Inhalation, Ingestion

Target Organs: Eyes, Skin, Respiratory Tract, Digestive System

Carcinogenicity: Not listed by NTP, IARC, ACGIH or OSHA as a carcinogen

4. FIRST AID MEASURES

Eyes: Flush eye(s) for 15 minutes or more- If irritation persists, consult a doctor (preferably

an eye specialist) and show this SDS.

Skin: Remove any contaminated clothing. Wash affected areas immediately and

thoroughly with soap and water.

Ingestion: Rinse mouth and then drink plenty of water. Do not induce vomiting.

If swallowed seek medical advice and show this SDS.

Inhalation: Remove affected person from site of exposure to fresh air until recovered.

If not breathing, give artificial respiration. If breathing is difficult give oxygen. Seek

medical attention if symptoms persist.

First Aid Facilities: If poisoning occurs, contact a doctor or Poisons Information Centre on

13 11 26 (Australia).

General Advice: Remove soiled or soaked / contaminated clothing immediately.

Information for

doctor: Imidacloprid belongs to the chloronicotinyl chemical group. Therapeutic measures

include basic aid, decontamination and symptomatic treatment. Gastric lavage, saline laxatives or activated charcoal may prove beneficial. There is no known

antidote.

5. FIRE-FIGHTING MEASURES

Flash Point:
Autoignition Temperature:
Upper Explosion Limits:
Lower Explosion Limits:
None up to 100°C.
Not applicable.
Not applicable.
Not applicable.

Suitable Extinguishing Media: Foam, carbon dioxide, dry powder, water spray, **By-products in case of Fire:** In the event of a fire the following can be released:

-Carbon monoxide, nitrous oxide, hydrogen chloride & hydrogen cyanide **Further Information:**Keep unnecessary persons away from the area. If safe to do so, rem

rmation: Keep unnecessary persons away from the area. If safe to do so, remove intact containers, otherwise use water spray to cool them. Collect contaminated firefighting water separately, by bunding the area with sand or

earth. Fire control water must not be discharged into drains.

Special Protective

Equipment for Firefighters: As in any fire, water, self-contained breathing apparatus pressure-demand,

(MSHA/NIOSH approved or equivalent) and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Methods for Cleaning Up/ Taking Up:

Spills: Dealing with spills has the potential to increase the risk of personal exposure- during such operations, ensure that protective clothing is worn as detailed below. Avoid contact with spilled material or contaminated surfaces. Keep people and animals away. Prevent spillage from entering drains, sewers or watercourses. If contamination thereof is unavoidable, warn the local water authority. Spills should be contained and absorbed with soil, sand, sawdust, clay, cat litter or other similar material, and once absorption is complete, this material then be placed in sealable, labeled, drums for safe disposal in an approved landfill, and in accordance with the requirements of local or State Waste Management Authorities. Alternatively, bury under at least 500^{mm} of soil in an area away from crops, pastures, homes or water sources. To decontaminate spill area, tools and equipment, wash with a suitable solution, *e.g.* organic solvent, detergent, bleach or caustic, and add this material to the drums of waste already collected. Label all contents. Do not burn empty containers or product.

7. HANDLING AND STORAGE

Advice on safe

Handling: Keep out of reach of children. Avoid contact with eyes and skin. Wash hands after

use, and before smoking or eating / drinking. Wash protective gear and clothing after

each day's use.

Advice on protection against fire and

explosion: Not flammable- no special measures required.

Storage information: Keep product in the original container, tightly closed, in a cool, well ventilated area.

Do not store for prolonged periods in direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Components	CAS No	Basis	Туре	Value	Note
Glycerin mist	56-81-5	NOHSC	TWA	10mg/m ³	

General protective

Measures: Avoid contact with eyes and skin

Do not inhale mists.

Hygiene Measures: No smoking, eating or drinking allowed when using this product.

Wash hands before breaks and at end of work shift.

Protective ointment is recommended.

Respiratory

Protection: In case of formation of mists or vapours, an organic vapour cartridge respirator

should be used.

Hand Protection: Elbow length PVC gloves should be worn when using this product.

Eye Protection: Safety goggles and/or face shield is recommended when using this product. **Protective clothing;** Cotton overalls buttoned to the neck and wrist, and a washable hat, are required

when using this product.

Engineering Controls: Use in a well ventilated area only. Good general (mechanical) ventilation should be

sufficient to control airborne mist levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White / beige liquid suspension concentrate

Odour: Slight characteristic odour.

Solubility in Water: Miscible with water.

Specific Gravity

 ($H_2O=1$):
 approx. 1.10 @ 20°C

 pH Value:
 7.0 - 8.5 @ 25°C

 Vapour Pressure:
 4×10^{-7} mPa @ 20°C

Melting Temperature: not measured Boiling temperature: not measured Viscosity, dynamic: not measured

10. STABILITY AND REACTIVITY

Conditions to avoid: None with proper storage and handling, other than extreme heat.

Thermal

Decomposition: Not measured, although if involved in a fire, the formation of hydrogen chloride,

hydrogen cyanide, carbon monoxide and nitrous oxides can be expected.

Hazardous reactions: No hazardous reactions with proper storage and handling

Hazardous

Polymerization: Unlikely to occur.

Stability: Stable under normal conditions of storage and use.

Hazardous decomposition

products: None with proper storage and handling.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity - Oral: LD_{50} (rat) 1218 - 1684 mg/kg approx.

Acute Toxicity -

Inhalation: LC₅₀ (rat) >2.238mg/L exposure time 4h method

Acute Toxicity -

Dermal: LD_{50} (rat) >4000mg/kg

Eye Irritation: (Species - rabbit) slight irritant Skin Irritation: (Species - rabbit) non - irritant

Skin Sensitisation: (Species - guinea pig) non-sensitising

Note: harmful by inhalation and in contact with skin

Irritant to skin

Risk of serious damage to eyes

The toxicological data refer to the undiluted 100% product.

12. ECOLOGICAL INFORMATION

Ecotoxicity Effects:

Acute Toxicity - Fish: LC₅₀ for rainbow trout is 211 mg/L

Acute Toxicity -

Daphniae: EC₅₀ for daphnia magna is 85 mg/L

Acute Toxicity -

Algae: EC_{50} for green algae is >100 mg/L

Acute Toxicity -

Birds: LD₅₀ for Japanese Quail is 31 mg/Kg

Further ecological information:

Ecological notes: This product is considered to be a water pollutant. It is classified as immobile in soil

and is not expected to leach. Do not discharge product unmonitored into the environment. The ecotoxicological data refer to the undiluted 100% product.

Product: Surefire SPECTRUM 200SC Issued: 29/10/2014

13. DISPOSAL CONSIDERATIONS

ALWAYS DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Product Disposal: In accordance with local authority regulations, take to special waste incineration

plant.

Container Disposal: Dispose of empty, used containers by triple rinsing, or preferably pressure rinsing. Add the rinsate to the spray tank or dispose of the rinsate in a disposal pit away from desirable plants and their roots and from watercourses. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return cleaned containers to a recycler or designated collection point. If not recycling, break, crush or puncture empty containers and bury in a local authority landfill. If no landfill available, bury the containers at least 500^{mm} deep in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

14. TRANSPORT INFORMATION

U.N. Number: n/a DG Class: n/a

Hazchem Code: None Allocated

Class & Subsidiary Risk: n/a
Packing Group: 111
EPG: n/a

Storage and Transport: Considered non – dangerous goods for transport by the Australian Code for

the Transport of Dangerous Goods by Road and Rail.

15. REGULATORY INFORMATION

APVMA Approval №: 60124/0909

Risk Phrases: R22 Harmful if swallowed.

Safety Phrases: S24 Avoid Contact with skin

S26 In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection

Poisons Schedule:

Packaging &

Labeling: READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Hazard Category

AICS (Australia): Listed on the Australian Inventory of Chemical Substances.

16. OTHER INFORMATION

Reason for update: Extension to Label for subterranean termite treatments

Contact Person/Point: Mr David Pearson Phone: (07) 3711 7022

This SDS contains only safety-related information. For other data, see product literature.

Any advice, recommendation, information, assistance or service provided by PCT International Pty Ltd in relation to the goods supplied by it or their use or application is given in good faith and believed to be appropriate and reliable. However, it is provided with a disclaimer for any liability or responsibility on the part of PCT International Pty Ltd. The customer accepts all risk and responsibility for use of the goods alone, or in combination with other products. All warranties, guarantees and conditions, other than those expressly stated, and when implied by statute, common law, custom of the trade or otherwise, are to the extent that the law permits, expressly excluded.

...End of SDS...