

# **PCT International Pty Ltd**

ABN 44 101 170 923
Unit 5 / 74 Murdoch Circuit, ACACIA RIDGE QLD 4110

sales@pct.au.com

Ph: 61 7 3711 7022 Fax: 61 7 3711 7055

# **TERMSTAR**\*

# **TERMITICIDE AND INSECTICIDE**

Classified as hazardous according to criteria of NOHSC

# 1. IDENTIFICATION OF THE PRODUCT AND THE MANUFACTURER

Product Name: Termstar<sup>©</sup> Termiticide and Insecticide

Product Code: none

**Product Use:** termiticide for use as described on the product label.

Poison Schedule: S6

**Supplier:** PCT International Pty Ltd

**ABN:** 44 101 170 923

Street Address: Unit 5 / 74 Murdoch Circuit, ACACIA RIDGE QLD 4110

**Telephone:** + 61 7 3711 7022 **Facsimile:** + 61 7 3711 7055

Emergency telephone №: 1800 630 877

**Other Information:** This MSDS describes, to the best of our knowledge, the properties of the concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be much less severe.

MSDS Date: 8<sup>th</sup> September 2013

# 2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical

Formulation Type: emulsifiable concentrate

Ingredients	CAS №	Proportion	
Bifenthrin	82657-04-3	100g/L	
Aromatic hydrocarbon solvent	64742-94-5	562g/L	
N-Methyl-2-Pyrrolidone	872-50-4	50g/L	

PCT International Pty Ltd 1 of 5 Product: PCT TERMSTAR

#### 3. HAZARDS IDENTIFICATION

Emergency Overview Hazardous substance; Non-dangerous goods; Harmful to aquatic organisms.

Physical Appearance

Form:
Colour:
Codour:
Characteristic
Water Solubility:
Liquid
Light brown
Characteristic
Emulsifies in water

Potential Health Effects

**Eyes:** Moderately irritating to the eyes

**Skin:** Minimally irritating to the skin. May cause dermal sensitization or skin tingling.

**Ingestion:** Harmful if swallowed.

**Inhalation:** This product may be harmful if inhaled. Avoid breathing vapor, spray or

fumes. Inhalation of aromatic hydrocarbon vapours may cause dizziness, vision disturbance, and irritation to the eyes, skin and mucous membrane of

the respiratory and gastrointestinal tract.

**Primary Routes of** 

**Entry:** Eyes, Skin, Inhalation, Ingestion

Target Organs: Eyes, Skin, Respiratory Tract, Digestive System

#### 4. FIRST AID MEASURES

Eyes: Flush eye(s) for 15 minutes or more- If irritation persists, consult a doctor

(preferably an eye specialist) and show this SDS.

Skin: Remove any contaminated clothing. Wash affected areas immediately and

thoroughly with soap and water.

**Ingestion:** Rinse mouth and then drink plenty of water. Do not induce vomiting.

If swallowed seek medical advice and show this SDS.

**Inhalation:** Remove affected person from site of exposure to fresh air until recovered.

If not breathing, give artificial respiration. If breathing is difficult give oxygen.

Seek medical attention if symptoms persist.

First Aid Facilities: If poisoning occurs, contact a doctor or Poisons Information Centre on

13 11 26 (Australia).

**General Advice:** Remove soiled or soaked clothing immediately.

Information for

**doctor:** Bifenthrin, the active ingredient in this product is a pyrethroid insecticide. The

formulation also contains liquid hydrocarbons that can cause severe pneumonitis or fatal pulmonary oedema if aspirated. Consideration should be given to gastric lavage with an endotracheal tube in place. Treatment is otherwise symptomatic and supportive. In cases of skin contact, it has been reported that topical applications of Vitamin E acetate was found to have very high therapeutic value, eliminating almost 100% of the skin pain associated

with synthetic pyrethroids.

#### 5. FIRE-FIGHTING MEASURES

**Fire and Explosion Hazards:** Combustible liquid. Material may support combustion at elevated temperatures. Sealed, overheated containers may present an explosion hazard. Thermal decomposition and burning may produce toxic by-products.

**Fire Extinguisher type:** Soft stream water, foam, CO<sub>2</sub> or dry chemical. Contain all runoff. **Fire Fighting Procedures:** Isolate fire area & evacuate downwind residents. Wear full protective clothing and self-contained breathing apparatus. Do not breathe or contact any smoke, gases or vapours generated. Keep containers cool with soft water stream.

PCT International Pty Ltd 2 of 5 Product: PCT TERMSTAR

**Hazardous Decomposition** 

**Products:** Carbon monoxide, carbon dioxide, hydrogen chloride, chlorine,

fluorine and hydrogen fluoride.

Flash Point: Approx. 68° Celsius.

Further Information: Keep unnecessary persons away from the area. If safe to do so,

remove intact containers, otherwise use water spray to cool them. Collect contaminated firefighting water separately, by bunding the area with sand or earth. Fire control water must not be discharged

into drains.

**Special Protective** 

**Equipment for Firefighters:** As in any fire, water, self-contained breathing apparatus pressure-

demand, (MSHA/NIOSH approved or equivalent) and full protective

clothing.

#### **6. ACCIDENTAL RELEASE MEASURES**

#### Methods for Cleaning Up/ Taking Up:

Spills: Dealing with spills has the potential to increase the risk of personal exposure- during such operations, ensure that protective clothing is worn as detailed below. Avoid contact with spilled material or contaminated surfaces. Keep people and animals away. Prevent spillage from entering drains, sewers or watercourses. If contamination thereof is unavoidable, warn the local water authority. Spills should be contained and absorbed with soil, sand, sawdust, clay, cat litter or other similar material, and once absorption is complete, this material then be placed in sealable, labeled, drums for safe disposal in an approved landfill, and in accordance with the requirements of local or State Waste Management Authorities. Alternatively, bury under at least 500<sup>mm</sup> of soil in an area away from crops, pastures, homes or water sources. To decontaminate spill area, tools and equipment, wash with a suitable solution, e.g. organic solvent, detergent, bleach or caustic, and add this material to the drums of waste already collected. Label all contents. Do not burn empty containers or product.

# 7. HANDLING AND STORAGE

Advice on safe

**Handling:** Keep out of reach of children. Avoid contact with eyes and skin. Wash hands

after use, and before smoking or eating / drinking. Wash protective gear and

clothing after each day's use.

Advice on protection against fire and

**explosion:** Product is classified as a C1 (Combustible Liquid) for the purpose of storage

and handling (AS 1940)

Storage information: Keep product in the original container, tightly closed, in a cool, well ventilated

area. Do not store for prolonged periods in direct sunlight.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General protective

**Measures:** Avoid contact with eyes and skin

Do not inhale mists.

**Hygiene Measures:** No smoking, eating or drinking allowed when using this product.

Wash hands before breaks and at end of work shift.

Protective ointment is recommended.

Respiratory

**Protection:** In case of formation of mists or vapours, an organic vapour cartridge

respirator should be used.

**Hand Protection:** Elbow length PVC gloves should be worn when using this product.

**Eye Protection:** Safety goggles and/or face shield is recommended when using this product. **Protective clothing;** Cotton overalls buttoned to the neck and wrist, and a washable hat, are

required when using this product.

Engineering Controls: Use in a well ventilated area only. Good general (mechanical) ventilation

should be sufficient to control airborne mist levels.

\_\_\_\_\_

PCT International Pty Ltd 3 of 5 Product: PCT

ABN 44 101 170 923 Issued: 30/10/2013

**TERMSTAR** 

# 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Yellow-brown liquid

**Odour:** Characteristic solvent odour.

**Solubility in Water:** Emulsifies in water.

Specific Gravity

( $H_2O=1$ ): approx. 0.88 g/ml @ 20°C

PH Value: not available vapour Pressure: not available not available not measured poiling temperature: viscosity, dynamic: not measured not measured not measured

#### 10. STABILITY AND REACTIVITY

**Conditions to avoid:** None with proper storage and handling, other than extreme heat.

Thermal

**Decomposition:** Not measured, although if involved in a fire, the formation of Carbon dioxide,

carbon monoxide, & smoke can be expected.

Hazardous reactions: No hazardous reactions with proper storage and handling

**Hazardous** 

**Polymerization:** Unlikely to occur.

**Stability:** Stable under normal conditions of storage and use.

Hazardous decomposition

**products:** None with proper storage and handling.

#### 11. TOXICOLOGICAL INFORMATION

**Toxicity:** Bifenthrin is harmful to mammals when ingested. Large doses may cause incoordination, tremor, salivation, vomiting, diarrhoea, and sound/ touch irritability.  $LD_{50}$  for Bifenthrin is about 632 mg/kg in rats. It can cause a tingling sensation on human skin which lasts about 12 hours. Dermal  $LD_{50}$  (rabbit) > 2000 mg/kg.

**Chronic Toxicity;** No information available.

Teratogenic Effects: Bifenthrin does not demonstrate any teratogenic effects at the highest levels

tested- 100 ppm- in a two-generational study in rats.

**Mutagenic Effects:** Evidence is inconclusive.

Carcinogenic Status:

**NOHSC:** No ingredient is classified as carcinogenic by NOHSC.

Organ Toxicity: Bifenthrin is a pyrethroid which affects the electrical impulses in nerves, over-

stimulating nerve cells, causing tremors and eventually paralysis.

# 12. ECOLOGICAL INFORMATION

Effects on Birds: Bifenthrin is moderately toxic to many species of birds, with

concern about possible bioaccumulation in birds.

Effects on Aquatic Organisms: Bifenthrin is highly toxic to fish, crustaceans and aquatic

animals. Because of its low water solubility and high affinity for soil, Bifenthrin is unlikely to be found in aquatic systems.

**Effects on non-target species:** Bifenthrin is toxic to bees.

**Environmental Properties:** Bifenthrin is rapidly degraded in soil with a half-life of 50- 205 days. It is rapidly hydrolysed under basic conditions (pH= 9) but, under acidic and neutral conditions, hydrolysis half-life can be 20 to 29 days. Bifenthrin has a high affinity for organic matter, yet, because of the ease with which the material undergoes degradation, it has a very low potential for bioaccumulation. It is not mobile in soil and has extremely low water solubility.

\_\_\_\_\_

PCT International Pty Ltd 4 of 5 Product: PCT TERMSTAR

**Environmental Toxicology:** Bifenthrin is considered toxic to fish and aquatic arthropods. Do not contaminate sewers, drains, dams, creeks or any other waterways with product or the used container. into the environment. The ecotoxicological data refer to the undiluted 100% product.

#### 13. DISPOSAL CONSIDERATIONS

ALWAYS DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Product Disposal: In accordance with local authority regulations, take to special waste

incineration plant.

**Container Disposal:** Dispose of empty, used containers by triple rinsing, or preferably pressure rinsing. Add the rinsate to the spray tank or dispose of the rinsate in a disposal pit away from desirable plants and their roots and from watercourses. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return cleaned containers to a recycler or designated collection point. If not recycling, break, crush or puncture empty containers and bury in a local authority landfill. If no landfill available, bury the containers at least 500<sup>mm</sup> deep in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

#### 14. TRANSPORT INFORMATION

**Storage and Transport:** Considered non – dangerous goods for transport by the Australian

Code for the Transport of Dangerous Goods by Road and Rail.

**Marine and Air Transport:** Product is a Marine Pollutant according to International Maritime Dangerous Goods (IMDG) Code and the International Air Transport Association (IATA). If transporting by **SEA** or **AIR** the following Dangerous Goods Classification applies:-





UN No. 3082, Class 9 (Miscellaneous Dangerous Goods), Packing Group III, Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains 10% Bifenthrin).

# 15. REGULATORY INFORMATION

**APVMA Approval №**: 59665/20L/0405

**Risk Phrases:** R20, R22, R36, R37, R65. Harmful by inhalation; Harmful if swallowed;

Irritating to eyes, Irritating to respiratory system; Harmful- may cause lung

damage if swallowed.

Safety Phrases: S2, S13, S23, S24/5, S36/7. Keep out of reach of children; Keep away from

food, drink and animal foodstuffs; Do not breathe vapor or spray; Avoid contact with skin and eyes; Wear suitable protective clothing and gloves.

Poisons Schedule: St

Packaging &

Labeling:

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Hazard Category

AICS (Australia): Listed on the Australian Inventory of Chemical Substances.

#### **16. OTHER INFORMATION**

Contact Person/Point: Mr David Pearson Phone: (07) 3711 7022

This SDS contains only safety-related information. For other data, see product literature.

Any advice, recommendation, information, assistance or service provided by PCT International Pty Ltd in relation to the goods supplied by it or their use or application is given in good faith and believed to be appropriate and reliable. However, it is provided with a disclaimer for any liability or responsibility on the part of PCT International Pty Ltd. The customer accepts all risk and responsibility for use of the goods alone, or in combination with other products. All warranties, guarantees and conditions, other than those expressly stated, and when implied by statute, common law, custom of the trade or otherwise, are to the extent that the law permits, expressly excluded.

...End of SDS...

\_\_\_\_\_

PCT International Pty Ltd 5 of 5 Product: PCT TERMSTAR