

# **PCT International Pty Ltd**

ABN 44 101 170 923 Unit 1 / 74 Murdoch Circuit, ACACIA RIDGE QLD 4110

sales@pct.au.com

Ph: 61 7 3711 7022 Fax: 61 7 3711 7055

# ZENI THTM

# residual insecticide

Classified as hazardous according to criteria of NOHSC

# 1. IDENTIFICATION OF THE PRODUCT AND THE MANUFACTURER

**Product Name:** ZENITH residual insecticide

Product Code: none

**Product Use:** for use on a range of insect pests as described on the product label.

Poison Schedule: S6

PCT International Pty Ltd

**Supplier:** PCT International ABN: 44 101 170 923

Street Address: Unit 1 / 74 Murdoch Circuit, ACACIA RIDGE QLD 4110

**Telephone:** + 61 7 3711 7022 **Facsimile:** + 61 7 3711 7055

Emergency telephone №: 1800 630 877 (all hours)

**Other Information:** This MSDS describes, to the best of our knowledge, the properties of the concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be much less severe.

MSDS Revision Date: 1<sup>st</sup> December, 2010

# 2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical

Formulation Type: Liquid suspension concentrate

IngredientsCAS NO.ConcentrationAlpha-Cypermethrin67375-30-850g/lPropylene Glycol57-55-6<100g/l</td>Waterto 100%

PCT International Pty Ltd 1 of 5 Product: PCT ZENITH Insecticide

# 3. HAZARDS IDENTIFICATION

**Emergency Overview** non-hazardous substance; non-dangerous goods

**Physical Appearance** 

Form: Liquid Colour: white

Odour: practically no odour Water Solubility: practically no sour forms a suspension

**pH**: 5 - 7

**Potential Health Effects** 

**Eyes:** Irritating to the eyes

**Skin:** Contact with the skin, especially around the face, may result in initial stinging

and burning sensations, followed by numbing. This may persist for several

hours.

**Ingestion:** The product is harmful if swallowed. Symptoms of overexposure include

tremors, loss of motor control, numbing, burning and tingling sensations.

**Inhalation:** Inhalation of spray may cause transient irritation of mucous membranes of the

nose, throat and respiratory tract for up to 24hrs.

**Primary Routes of** 

**Entry:** Eyes, Skin, Inhalation, Ingestion

Target Organs: Eyes, Skin, Respiratory Tract, Digestive System

Carcinogenicity: Not listed by NTP, IARC, ACGIH or OSHA as a carcinogen

# 4. FIRST AID MEASURES

Eyes: Flush eye(s) for 15 minutes or more- If irritation persists, consult a doctor

(preferably an eye specialist) and show this MSDS.

**Skin:** Carefully remove any contaminated clothing, including footwear, and wash

affected areas with plenty of soap and water. If concerned, seek medical

attention.

**Ingestion:** Rinse mouth and then drink plenty of water. Do not induce vomiting.

If swallowed seek medical advice and show this MSDS.

**Inhalation:** Remove affected person from site of exposure to fresh air until recovered.

If not breathing, give artificial respiration. If breathing is difficult give oxygen.

Seek medical attention if symptoms persist.

First Aid Facilities: If poisoning occurs, contact a doctor or Poisons Information Centre on

13 11 26 (Australia).

**General Advice:** Remove soiled or soaked clothing immediately.

Information for

**doctor:** The product has low acute oral and dermal toxicity. It is moderately toxic by

inhalation and minimally irritating to the eyes and may irritate the skin. Do not administer milk, cream or other substances which contain vegetable fats, as they enhance adsorption of the active ingredient. Central nervous system stimulation can be controlled with sedation by barbiturates or similar. Reversible skin sensations (paraesthesia) may occur and ordinary skin salves have been found to be useful in reducing discomfort. Otherwise, treatment is controlled removal of exposure followed by symptomatic and supportive care.

## **5. FIRE-FIGHTING MEASURES**

Flash Point: >100°C

**Autoignition Temperature:** Slightly combustible- material may support combustion at elevated

temperatures..

**Upper Explosion Limits:** Not applicable. **Lower Explosion Limits:** Not applicable.

\_\_\_\_\_

PCT International Pty Ltd 2 of 5 Product: PCT ZENITH

Insecticide

**Suitable Extinguishing Media:** Water spray, carbon dioxide, foam or dry chemical. Do not use a ...

water jet from a fire hose.

By-products in case of Fire: In the event of a fire the following can be released:

Heating and/or combustion will generate carbon monoxide, carbon dioxide, oxides of nitrogen, hydrogen chloride and hydrogen fluoride.

Keep unnecessary persons away from the area. If safe to do so, **Further Information:** 

remove intact containers, otherwise use water spray to cool them. Collect contaminated firefighting water separately, by bunding the area with sand or earth. Fire control water must not be discharged

into drains.

**Special Protective** 

**Equipment for Firefighters:** As in any fire, water, self-contained breathing apparatus pressure-

demand, (MSHA/NIOSH approved or equivalent) and full protective

# **6. ACCIDENTAL RELEASE MEASURES**

## Methods for Cleaning Up/ Taking Up:

Spills: Dealing with spills has the potential to increase the risk of personal exposure- during such operations, ensure that protective clothing is worn as detailed below. Avoid contact with spilled material or contaminated surfaces. Keep people and animals away. Prevent spillage from entering drains, sewers or watercourses. If contamination thereof is unavoidable, warn the local water authority. Spills should be contained and absorbed with soil, sand, sawdust, clay, cat litter or other similar material, and once absorption is complete, this material then be placed in sealable, labeled, drums for safe disposal in an approved landfill, and in accordance with the requirements of local or State Waste Management Authorities. Alternatively, bury under at least 500<sup>mm</sup> of soil in an area away from crops, pastures, homes or water sources. To decontaminate spill area, tools and equipment, wash with a suitable solution, e.g. organic solvent, detergent, bleach or caustic, and add this material to the drums of waste already collected. Label all contents. Do not burn empty containers or product.

# 7. HANDLING AND STORAGE

Advice on safe

Handling: Keep out of reach of children. Avoid contact with eyes and skin. Wash hands

after use, and before smoking or eating / drinking. Wash protective gear and

clothing after each day's use.

Advice on protection against fire and

explosion:

Not flammable- no special measures required.

Storage information: Keep product in the original container, tightly closed, in a cool, well ventilated

area. Do not store for prolonged periods in direct sunlight.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General protective

Measures: Avoid contact with eyes and skin

Do not inhale mists.

No smoking, eating or drinking allowed when using this product. **Hygiene Measures:** 

Wash hands before breaks and at end of work shift.

Protective ointment is recommended.

Respiratory

**Protection:** In case of formation of mists or vapours, an organic vapour cartridge

respirator (properly fitting half-face or full-face) should be used. Elbow length PVC gloves should be worn when using this product.

**Hand Protection: Eye Protection:** Safety goggles and/or face shield is recommended when using this product. Protective clothing;

Cotton overalls buttoned to the neck and wrist, and a washable hat, are

required when using this product.

Engineering Controls: Use in a well ventilated area only. Good general (mechanical) ventilation

should be sufficient to control airborne mist levels.

**PCT International Pty Ltd** 3 of 5 Product: PCT ZENITH Insecticide

# 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** White liquid suspension concentrate

Odour: Practically no odour. Solubility in Water: Forms a suspension.

**Specific Gravity** 

( $H_2O=1$ ): approx. 1.02 @ 20°C

**pH Value:** 5 - 7

Vapour Pressure: not determined
Melting Temperature: not measured
Boiling temperature: >100°C
Viscosity, dynamic: not measured

# 10. STABILITY AND REACTIVITY

Conditions to avoid: None with proper storage and handling, other than extreme heat.

**Thermal** 

**Decomposition:** Not measured.

Hazardous reactions: No hazardous reactions with proper storage and handling

**Hazardous** 

Polymerization: Unlikely to occur.

**Stability:** Stable under normal conditions of storage and use.

Hazardous decomposition

**products:** None with proper storage and handling.

#### 11. TOXICOLOGICAL INFORMATION

**Acute Toxicity - Oral:** LD<sub>50</sub> (rat) 3,184 mg/kg approx.

**Acute Toxicity -**

**Inhalation:** LC<sub>50</sub> (rat) >6.4mg/L exposure time 4h method

**Acute Toxicity -**

 $\begin{array}{lll} \textbf{Dermal:} & LD_{50} \ (\text{rat}) > 2000 \ \text{mg/kg} \\ \textbf{Eye Irritation:} & (\text{Species - rabbit}) \ \text{slight irritant} \\ \textbf{Skin Irritation:} & (\text{Species - rabbit}) \ \text{non - irritant} \\ \end{array}$ 

**Skin Sensitisation:** (Species - guinea pig) non-sensitising **Note:** harmful by inhalation and in contact with skin

Irritant to skin

The toxicological data refer to the undiluted 100% formulated product.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity Effects:** 

**Acute Toxicity – Fish:** LC<sub>50</sub> for rainbow trout is 0.0028μg/L.(96h)

Acute Toxicity -

**Daphniae:**  $EC_{50}$  for daphnia magna  $-0.1 - 0.3 \mu g/L.(48h)$ 

Acute Toxicity -

Bees:  $LD_{50}$  for bees is  $0.059\mu g/bee$  (24h)

Acute Toxicity -

Birds: LD<sub>50</sub> for Japanese Quail is >10k mg/Kg

Further ecological information:

Ecological notes: Alpha-Cypermethrin has a high affinity for organic matter. Because of the

ease with which the material degrades, it has a very low potential for bioaccumulation and is not mobile in soil. The ecotoxicological data refer to

the undiluted 100% product.

\_\_\_\_\_

PCT International Pty Ltd 4 of 5 Product: PCT ZENITH Insecticide

# 13. DISPOSAL CONSIDERATIONS

ALWAYS DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Product Disposal: In accordance with local authority regulations, take to special waste

incineration plant.

**Container Disposal:** Dispose of empty, used containers by triple rinsing, or preferably pressure rinsing. Add the rinsate to the spray tank or dispose of the rinsate in a disposal pit away from desirable plants and their roots and from watercourses. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return cleaned containers to a recycler or designated collection point. If not recycling, break, crush or puncture empty containers and bury in a local authority landfill. If no landfill available, bury the containers at least 500<sup>mm</sup> deep in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

# 14. TRANSPORT INFORMATION

Storage & Transport: Considered to be non-dangerous goods for transport by road or rail.

Store in a cool, dry, well ventilated location, away from food and feedstuffs. Avoid excess heat or sources of ignition, and store in original containers only. Keep out of reach of children and animals. No smoking, eating or drinking

should be allowed where the product is used or stored.

**Marine and Air Transport:** ZENITH is classified as a Marine Pollutant according to International Maritime Dangerous Goods (IMDG) Code and the International Air transport Association (IATA). If transporting by sea or air the following Dangerous Goods Classification applies:-

**UN** 3082,

Class 9 (Miscellaneous Dangerous Goods),

Packing Group III, Proper Shipping Name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Contains 5% Alpha-cypermethrin).



**APVMA Approval №**: 53510/1200

Risk Phrases: R22 Harmful if swallowed R36 Irritating to eyes

R43 May cause sensitization by skin contact..

Safety Phrases: S2 Keep out of reach of children.

S24/25 Avoid contact with skin and eyes.

S36/37 Wear suitable protective clothing, gloves & eye/ face

protection.

Poisons Schedule: S5

Packaging &

Labeling: READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**Hazard Category** 

AICS (Australia): Listed on the Australian Inventory of Chemical Substances.

# **16. OTHER INFORMATION**

Contact Person/Point: Mr David Pearson Phone: (07) 3711 7022

Note: this MSDS replaces our previous MSDS dated Sep 09.

This MSDS contains only safety-related information. For other data, see product literature.

Any advice, recommendation, information, assistance or service provided by PCT International Pty Ltd in relation to the goods supplied by it or their use or application is given in good faith and believed to be appropriate and reliable. However, it is provided with a disclaimer for any liability or responsibility on the part of PCT International Pty Ltd. The customer accepts all risk and responsibility for use of the goods alone, or in combination with other products. All warranties, guarantees and conditions, other than those expressly stated, and when implied by statute, common law, custom of the trade or otherwise, are to the extent that the law permits, expressly excluded.

...End of MSDS...

PCT International Pty Ltd 5 of 5 Product: PCT ZENITH

Insecticide