

DANGEROUS POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENT: 25 g/kg ZINC PHOSPHIDE

For the control of heavy infestations of mice in agricultural situations

**THIS PRODUCT IS NOT TO BE AVAILABLE EXCEPT TO PERSONS AUTHORISED OR LICENSED TO UNDER
THE RELEVANT STATE OR TERRITORY POISONS CONTROLS FOR SCHEDULE 7 POISONS**

NET CONTENTS 10 kg



HOLDINGS PTY LTD

APVMA Approval No: 59797/10KG/1107

*SUREFIRE[®] is a registered trademark of PCT INTERNATIONAL PTY LTD
(PCT Holdings Pty Ltd ABN 11 099 023 962)

1/74 Murdoch Circuit, Acacia Ridge QLD 4110 • <http://pct.au.com>

CUSTOMER SERVICE FREECALL 1800 630 877 EMERGENCY RESPONSE (ALL HOURS) FREECALL 1800 630 877

DIRECTIONS FOR USE**Restraints:**

DO NOT apply bait to bare ground (including fallow where there is no vegetative cover).
 DO NOT apply bait in a trail.
 DO NOT apply bait if heavy rain is imminent.
 DO NOT apply to the outer 50m of crop or within 50m of native vegetation. A 50m buffer zone in crop must be employed to reduce risk to birds and other non target animals.
 DO NOT apply bait unless monitoring of mouse numbers indicate the potential for crop damage of economic significance.

Situation	Pest	Rate kg/ha	Critical Comments
Grain crops, legume crops, canola, safflower, nut crops and pasture. (Note: for all situations – only as a post emergent treatment, stubble of harvested crop prior to sowing seed, or when seeds have been sown into crop stubble or other similar ground cover).	Mice	1 kg/ha to achieve an even coverage of 2-3 grains/m ²	Bait is only to be applied by aerial application or accurately calibrated ground application equipment to achieve 2-3 grains/m ² . It is imperative that all attempts are made to bait as evenly as possible to maximise product efficacy and minimise risks to non-target animals. Surefire Zinc Phosphide Mouse Bait will provide a high level of control in most situations. However in extremely high mice densities or areas with significant amounts of alternative feed, sufficient mice may remain to cause damage to crops after treatment. Re-treatment after 14 days may therefore be required in certain circumstances. It is recommended that pre-treatment estimations of the severity of the mouse problem are performed before applying bait and that post-baiting estimates are conducted to assess effectiveness of the control operation. For information on the most effective methods of monitoring of mouse populations please contact the government department in your state responsible for vertebrate pest control. Bait may retain activity for several days after light rain or in damp conditions, and light showers can be tolerated. Maximum performance will however be expected under dry conditions.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

**THIS PRODUCT IS TOO DANGEROUS TO BE USED IN THE HOME GARDEN.
 DO NOT USE THIS PRODUCT IN THE HOME GARDEN.**

WITHHOLDING PERIOD: DO NOT harvest any crops or allow livestock to graze baited areas for 14 days after application.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS, THE ENVIRONMENT AND LIVESTOCK

Do not contaminate dams, rivers, streams or waterways with product or the used container.
 Bait should be distributed to minimise exposure to non-target wildlife, especially birds and livestock. It is preferable to place baits late in the day when birds have finished feeding. Particular care should be taken when baits are applied near native vegetation using aircraft as high bait concentrations may occur on the ground beneath aircraft that need to climb steeply. Spilt bait must be collected immediately and applied according to label directions or buried below one metre.

STORAGE AND DISPOSAL

The contents of each container should be used within 3 months of opening.
 Store in closed original containers, in a dry, cool, well ventilated area out of direct sunlight.
 Store in a locked room away from children, animals, food, feedstuffs, seed and fertilisers. Store away from acids, water and any sources of heat or ignition.
 Dispose of empty containers by crushing and burying below one metre in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Excess or unused baits must be buried below one metre.
 Empty containers and product must not be burnt.

SAFETY DIRECTIONS

Poisonous if swallowed. Releases dangerous phosphine gas slowly in moist air and immediately if wet. Do not inhale vapour. Avoid contact with eyes and skin. Keep away from water and liquids. Keep away from naked flames – forms toxic gas. When opening the container and using baits wear elbow-length PVC gloves and a full face respirator with combined dust and gas cartridge or supplied air respirator. Wash hands after use. After each day's use wash gloves and respirator and if rubber wash with detergent and warm water.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

MATERIAL SAFETY DATA SHEET

Additional information is listed on the Material Safety Data Sheet which is available from PCT Holdings Pty Ltd on request. Call Customer Service Toll Free on 1800 630 877 or visit our web site at <http://pct.au.com>

NOTICE

PCT Holdings Pty Ltd warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by PCT Holdings Pty Ltd, or under abnormal conditions.

APVMA Approval No: 59797/10KG/1107

Batch No:

Date of Manufacture: