

PCT International Pty Ltd

ABN 44 101 170 923 Unit 5 / 74 Murdoch Circuit, ACACIA RIDGE QLD 4110

sales@pct.au.com

Ph: 61 7 3711 7022 Fax: 61 7 3711 7055

INSECTIGONE*



Classified as non-hazardous according to criteria of NOHSC

1. IDENTIFICATION OF THE PRODUCT AND THE MANUFACTURER

Product Name: INSECTIGONE insecticide

Product Code: none

Product Use: for use on a range of insect pests as described on the product label.

Poison Schedule: S5

Supplier: PCT International Pty Ltd

ABN: 44 101 170 923

Street Address: Unit 5 / 74 Murdoch Circuit, ACACIA RIDGE QLD 4110

Telephone: + 61 7 3711 7022 **Facsimile:** + 61 7 3711 7055

Emergency telephone №: 1800 630 877 (all hours)

Other Information: This MSDS describes, to the best of our knowledge, the properties of the concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be much less severe.

MSDS Creation Date: 17th July, 2013

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical

Formulation Type: Liquid suspension concentrate

Ingredients	CAS NO.	Concentration	
Deltamethrin	52918-63-5	10 g/L	
Propylene Glycol	57-55-6 110-44-1	10 g/L	
Sorbic Acid Other ingredients (non-toxic)	110-44-1	10g/L <10%	
Water		to 100%	

PCT International Pty Ltd 1 of 5 Product: SureFire INSECTIGONE

Insecticide

3. HAZARDS IDENTIFICATION

Emergency Overview non-hazardous substance; non-dangerous goods

Physical Appearance

Form: Liquid Colour: white

Odour: practically no odour
Water Solubility: forms a suspension
pH: not determined

Potential Health Effects

Eyes: Irritating to the eyes

Skin: Contact with the skin, especially around the face, may result in initial stinging

and burning sensations, followed by numbing. This may persist for several

hours.

Ingestion: The product is harmful if swallowed. Symptoms of poisoning include

headache, dizziness, drowsiness, diarrhoea, nausea and vomiting.

Inhalation: Inhalation of spray may cause transient irritation of mucous membranes of the

nose, throat and respiratory tract for up to 24hrs.

Primary Routes of

Entry: Eyes, Skin, Inhalation, Ingestion

Target Organs: Eyes, Skin, Respiratory Tract, Digestive System

Carcinogenicity: Not listed by NTP, IARC, ACGIH or OSHA as a carcinogen

4. FIRST AID MEASURES

Eyes: Flush eye(s) for 15 minutes or more- If irritation persists, consult a doctor

(preferably an eye specialist) and show this SDS.

Skin: Carefully remove any contaminated clothing, including footwear, and wash

affected areas with plenty of soap and water. Apply Vitamin E cream to

reduce irritation if it occurs. If concerned, seek medical attention.

Ingestion: Rinse mouth and then drink plenty of water. Do not induce vomiting.

If swallowed seek medical advice and show this SDS.

Inhalation: Remove affected person from site of exposure to fresh air until recovered.

If not breathing, give artificial respiration. If breathing is difficult give oxygen.

Seek medical attention if symptoms persist.

First Aid Facilities: If poisoning occurs, contact a doctor or Poisons Information Centre on

13 11 26 (Australia).

General Advice: Remove soiled or soaked clothing immediately.

Information for

doctor: Treat large intakes with gastric lavage, and charcoal administration. There is

no antidote known. Diazepam may be useful in controlling hyper-excitability and/ or convulsions. Symptomatic and supportive treatment is indicated. In cases of skin contact, it has been reported that topical applications of Vitamin E acetate was found to have very high therapeutic value, eliminating almost 100% of the skin pain associated with synthetic pyrethroids. Recovery should be spontaneous. For eye contact, instill local anaesthetic drops, e.g. 1%

amethocaine hydrochloride eye drops. Give analgesics as necessary

5. FIRE-FIGHTING MEASURES

Flash Point:
Autoignition Temperature:
Upper Explosion Limits:
Lower Explosion Limits:
Not applicable.
Not applicable.
Not applicable.

PCT International Pty Ltd 2 of 5 Product: SureFire INSECTIGONE

Insecticide

Suitable Extinguishing Media: Water spray, carbon dioxide, foam or dry chemical. Do not use a

water jet from a fire hose.

By-products in case of Fire: In the event of a fire the following can be released:

Heating and/or combustion will generate oxides of nitrogen and

carbon, along with other irritants.

Further Information: Keep unnecessary persons away from the area. If safe to do so,

remove intact containers, otherwise use water spray to cool them. Collect contaminated firefighting water separately, by bunding the area with sand or earth. Fire control water must not be discharged

into drains.

Special Protective

Equipment for Firefighters: As in any fire, water, self-contained breathing apparatus pressure-

demand, (MSHA/NIOSH approved or equivalent) and full protective

clothing.

6. ACCIDENTAL RELEASE MEASURES

Methods for Cleaning Up/ Taking Up:

Spills: Dealing with spills has the potential to increase the risk of personal exposure- during such operations, ensure that protective clothing is worn as detailed below. Avoid contact with spilled material or contaminated surfaces. Keep people and animals away. Prevent spillage from entering drains, sewers or watercourses. If contamination thereof is unavoidable, warn the local water authority. Spills should be contained and absorbed with soil, sand, sawdust, clay, cat litter or other similar material, and once absorption is complete, this material then be placed in sealable, labeled, drums for safe disposal in an approved landfill, and in accordance with the requirements of local or State Waste Management Authorities. Alternatively, bury under at least 500^{mm} of soil in an area away from crops, pastures, homes or water sources. To decontaminate spill area, tools and equipment, wash with a suitable solution, e.g. organic solvent, detergent, bleach or caustic, and add this material to the drums of waste already collected. Label all contents. Do not burn empty containers or product.

7. HANDLING AND STORAGE

Advice on safe

Handling: Keep out of reach of children. Avoid contact with eyes and skin. Wash hands

after use, and before smoking or eating / drinking. Wash protective gear and

clothing after each day's use.

Advice on protection

against fire and explosion:

Not flammable- no special measures required.

Storage information: Keep product in the original container, tightly closed, in a cool, well ventilated

area. Do not store for prolonged periods in direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General protective

Measures: Avoid contact with eyes and skin

Do not inhale mists.

Hygiene Measures: No smoking, eating or drinking allowed when using this product.

Wash hands before breaks and at end of work shift.

Protective ointment is recommended.

Respiratory

Protection: In case of formation of mists or vapours, an organic vapour cartridge

respirator (properly fitting half-face or full-face) should be used.

Hand Protection: Elbow length PVC gloves should be worn when using this product.

Eye Protection: Safety goggles and/or face shield is recommended when using this product. **Protective clothing;** Cotton overalls buttoned to the neck and wrist, and a washable hat, are

required when using this product.

Engineering Controls: Use in a well ventilated area only. Good general (mechanical) ventilation

should be sufficient to control airborne mist levels.

PCT International Pty Ltd 3 of 5 Product: SureFire INSECTIGONE

Insecticide

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White liquid suspension concentrate

Odour: Practically no odour. Solubility in Water: Forms a suspension.

Specific Gravity

(H₂O=1): approx. 1.01 @ 20°C pH Value: not determined vapour Pressure: not determined Melting Temperature: not measured Boiling temperature: 100°C

Viscosity, dynamic: not measured

10. STABILITY AND REACTIVITY

Conditions to avoid: None with proper storage and handling, other than extreme heat.

Thermal

Decomposition: Not measured.

Hazardous reactions: No hazardous reactions with proper storage and handling

Hazardous

Polymerization: Unlikely to occur.

Stability: Stable under normal conditions of storage and use.

Hazardous decomposition

products: None with proper storage and handling.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity - Oral: LD_{50} (rat) >10k mg/kg approx.

Acute Toxicity -

Inhalation: LC_{50} (rat) >2.2mg/L exposure time 4h method

Acute Toxicity -

Dermal: LD_{50} (rat) >10k mg/kg

Eye Irritation: (Species - rabbit) slight irritant **Skin Irritation:** (Species - rabbit) non - irritant

Skin Sensitisation: (Species - guinea pig) non-sensitising

Note: harmful by inhalation and in contact with skin

Irritant to skin

The toxicological data refer to the undiluted 100% formulated product.

12. ECOLOGICAL INFORMATION

Ecotoxicity Effects:

Acute Toxicity – Fish: LC_{50} for rainbow trout is $0.91\mu g/L$.

Acute Toxicity -

Daphniae: EC₅₀ for daphnia magna – not determined

Acute Toxicity -

Bees: LD₅₀ for bees is $51\mu g/bee$ (48h)

Acute Toxicity –

Birds: LD₅₀ for Japanese Quail is >10k mg/Kg

Further ecological information:

Ecological notes: This product is classified as immobile in soil and is not expected to leach. Do

not discharge product unmonitored into the environment. The ecotoxicological

data refer to the undiluted 100% product.

PCT International Pty Ltd 4 of 5 Product: SureFire INSECTIGONE

Insecticide

13. DISPOSAL CONSIDERATIONS

ALWAYS DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Product Disposal: In accordance with local authority regulations, take to special waste

incineration plant.

Container Disposal: Dispose of empty, used containers by triple rinsing, or preferably pressure rinsing. Add the rinsate to the spray tank or dispose of the rinsate in a disposal pit away from desirable plants and their roots and from watercourses. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return cleaned containers to a recycler or designated collection point. If not recycling, break, crush or puncture empty containers and bury in a local authority landfill. If no landfill available, bury the containers at least 500^{mm} deep in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

14. TRANSPORT INFORMATION

Storage and Transport: Considered non – dangerous goods for transport by the Australian

Code for the Transport of Dangerous Goods by Road and Rail.

15. REGULATORY INFORMATION

APVMA Approval №: 51943/0602

Risk Phrases: R22 Harmful if swallowed.

Safety Phrases: S24 Avoid Contact with skin

S26 In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection

Poisons Schedule: S

Packaging &

Labeling: READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Hazard Category

AICS (Australia): Listed on the Australian Inventory of Chemical Substances.

16. OTHER INFORMATION

Contact Person/Point: Mr David Pearson Phone: (07) 3711 7022

This SDS contains only safety-related information. For other data, see product literature.

Any advice, recommendation, information, assistance or service provided by PCT International Pty Ltd in relation to the goods supplied by it or their use or application is given in good faith and believed to be appropriate and reliable. However, it is provided with a disclaimer for any liability or responsibility on the part of PCT International Pty Ltd. The customer accepts all risk and responsibility for use of the goods alone, or in combination with other products. All warranties, guarantees and conditions, other than those expressly stated, and when implied by statute, common law, custom of the trade or otherwise, are to the extent that the law permits, expressly excluded.

...End of SDS...

PCT International Pty Ltd 5 of 5 Product: SureFire INSECTIGONE

Insecticide